



ANDRO key features

SIZES

XXS
XS
S
M
L

FINISHES

- All White
- Textured White
- Textured Black
- Custom
- Raw

TECHNICAL DESIGN

Tridonic SLE G7 COB
2400K / 2700K / 3000K / 4000K
CRI 90>
Colour Consistency
Spot, Narrow, Medium, Wide, Flood Beam Angle Distributions
High LOR
High Efficacy
Phase / 1-10 / DALI / Casambi
Dim to Warm & Tunable White options available
Lens Technology
UGR<16 & UGR<19 Available
IP Rated Options Available
IC Ratings Options Available
LED Grow Light Available

DESIGN

Designed in Melbourne
Textured Powdercoat
Global Adaptors
Fully Adjustable
Various Mounting Options
Customisation Available
5-Year Warranty
Packaging can be reused to plant Native Australian Seeds
Recycled packaging
XXS available in 2400k



Lighting waste used during production



Available in **Raw**



andro bud grow light



ANDRO TRACK
Textured White



ANDRO SEMI-RECESSED
Textured White



ANDRO SURFACE ADJUSTABLE
Textured White



ANDRO SURFACE FIXED
Textured Black



ANDRO PENDANT
Textured Black




ANDRO TRIM DOWNLIGHT
All White



ANDRO TRIMLESS DOWNLIGHT
All White


TRACKLIGHTS

SIZE	MEASUREMENTS (AxBmm)
XXS	Ø 35 x 120
XS	Ø 52.2 x 140
S	Ø 62 x 172
M	Ø 75.6 x 210
L	Ø 87.5 x 235




SEMI-RECESSED SPOTLIGHTS

SIZE	MEASUREMENTS (AxBmm)
XXS	Ø 35 x 120
XS	Ø 52.2 x 140
S	Ø 62 x 172
M	Ø 75.6 x 180




SURFACE ADJUSTABLE SPOTLIGHTS

SIZE	MEASUREMENTS (AxBxCmm)
XXS	Ø 35 x 75 (housing) x 75 (gear box)
XS	Ø 52 x 85 (housing) x 85 (gear box)
S	Ø 62 x 100 (housing) x 100 (gear box)
S DALI	Ø 62 x 100 (housing) x 130 (gear box)
M	Ø 75.6 x 120 (housing) x 120 (gear box)




SURFACE FIXED SPOTLIGHTS

SIZE	MEASUREMENTS (AxBmm)
XXS	Ø 35 x 120
XS	Ø 52.2 x 140
S	Ø 62 x 172
M	Ø 75.6 x 210
L	Ø 87.5 x 235




PENDANTS

SIZE	MEASUREMENTS (AxBmm)
XXS	Ø 35 x 120
XS	Ø 52.2 x 140
S	Ø 62 x 172
M	Ø 75.6 x 210
L	Ø 87.5 x 235




TRIM DOWNLIGHTS

SIZE	MEASUREMENTS (AxBxCxDmm)
XXS	Ø 35 x 75 (tube) ; Ø 70 x 97 (housing)
XS	Ø 52.2 x 85 (tube) ; Ø 99 x 118 (housing)
S	Ø 62 x 100 (tube) ; Ø 100 x 137 (housing)
M	Ø 75.6 x 120 (tube) ; Ø 128 x 156 (housing)
L	Ø 87.5 x 140 (tube) ; Ø 138.5 x 172 (housing)



TRIMLESS DOWNLIGHTS


SIZE	MEASUREMENTS (AxBxCxDmm)
XS	Ø 52.2 x 85 (tube) ; Ø 160 x 118 (housing)
S	Ø 62 x 100 (tube) ; Ø 220 x 137 (housing)
M	Ø 75.6 x 120 (tube) ; Ø 220 x 156 (housing)
L	Ø 87.5 x 140 (tube) ; Ø 220 x 176.5m (housing)



XXS Available in warm



Re-use your andro packaging



Made to Make a Difference.

Whether it's your space or footprint, the **ANDRO** series is designed with ideas in mind. Designed & developed by ambience in big bad Bundoora, the **ANDRO** luminaire family is a marriage of masculine and feminine characteristics into the one perfectly engineered, harmonious and ambiguous form. It's also a **Good Design Award Winner** for Product Design in recognition of outstanding design and innovation.

ANDRO
SURFACE ADJUSTABLE
Textured Black

andro.
by ambience

+61 3 9486 3699
sales@ambienclighting.com.au
ambienclighting.com.au