


andro

for the illuminated



SUSTAINABILITY FOCUSED





GOOD
DESIGN
AWARD
WINNER

andro.

Key features

SIZES

XXS

XS

S

M

L

FINISHES

- All White
- Textured White
- Textured Black
- Custom
- Raw

TECHNICAL DESIGN

Tridonic SLE G7 COB

2400K / 2700K / 3000K / 4000K

CRI 90>

Colour Consistency

Spot, Narrow, Medium, Wide, Flood Beam Angle Distributions

High LOR

High Efficacy

Phase / 1-10 / DALI / Casambi

Dim to Warm & Tunable White options available

Lens Technology

UGR<16 & UGR<19 Available

IP Rated Options Available

IC Ratings Options Available

LED Grow Light Available

DESIGN

Designed in Melbourne

Textured Powdercoat

Global Adaptors

Fully Adjustable

Various Mounting Options

Customisation Available

5-Year Warranty

Packaging can be reused to plant Native Australian Seeds

Recycled packaging

XXS available in 2400k



ANDRO TRACK
Textured White



ANDRO SEMI-RECESSED
Textured White



ANDRO SURFACE ADJUSTABLE
Textured White



ANDRO SURFACE FIXED
Textured White



ANDRO PENDANT
Textured White




ANDRO TRIM DOWNLIGHT
All White



ANDRO TRIMLESS DOWNLIGHT
All White


TRACKLIGHTS

SIZE	MEASUREMENTS (AxBmm)
XXS	Ø 35 x 120
XS	Ø 52.2 x 140
S	Ø 62 x 172
M	Ø 75.6 x 210
L	Ø 87.5 x 235




SEMI-RECESSED SPOTLIGHTS

SIZE	MEASUREMENTS (AxBmm)
XXS	Ø 35 x 120
XS	Ø 52.2 x 140
S	Ø 62 x 172
M	Ø 75.6 x 180



SURFACE ADJUSTABLE SPOTLIGHTS

SIZE	MEASUREMENTS (AxBxCmm)
XXS	Ø 35 x 65 (housing) x 65 (gear box)
XS	Ø 52 x 85 (housing) x 85 (gear box)
S	Ø 62 x 100 (housing) x 100 (gear box)
S DALI	Ø 62 x 100 (housing) x 130 (gear box)
M	Ø 75.6 x 120 (housing) x 120 (gear box)




SURFACE FIXED SPOTLIGHTS

SIZE	MEASUREMENTS (AxBmm)
XXS	Ø 35 x 120
XS	Ø 52.2 x 140
S	Ø 62 x 172
M	Ø 75.6 x 210
L	Ø 87.5 x 235




PENDANTS

SIZE	MEASUREMENTS (AxBmm)
XXS	Ø 35 x 120
XS	Ø 52.2 x 140
S	Ø 62 x 172
M	Ø 75.6 x 210
L	Ø 87.5 x 235




TRIM DOWNLIGHTS

SIZE	MEASUREMENTS (AxBxCxDmm)
XXS	Ø 35 x 75 (tube) ; Ø 70 x 97 (housing)
XS	Ø 52.2 x 85 (tube) ; Ø 99 x 118 (housing)
S	Ø 62 x 100 (tube) ; Ø 100 x 137 (housing)
M	Ø 75.6 x 120 (tube) ; Ø 128 x 156 (housing)
L	Ø 87.5 x 140 (tube) ; Ø 138.5 x 172 (housing)



TRIMLESS DOWNLIGHTS

SIZE	MEASUREMENTS (AxBxCxDmm)
XS	Ø 52.2 x 85 (tube) ; Ø 160 x 118 (housing)
S	Ø 62 x 100 (tube) ; Ø 220 x 137 (housing)
M	Ø 75.6 x 120 (tube) ; Ø 220 x 156 (housing)
L	Ø 87.5 x 140 (tube) ; Ø 220 x 176.5m (housing)





andro
for the illuminated

For the illuminated.

Whether it's your space or footprint, andro luminaire family is designed with ideas in mind. A marriage of masculine and feminine characteristics into one perfectly engineered, harmonious and ambiguous form.

Through the challenges of finding a local architectural luminaire range where forward thinking was a pillar, the vision for andro was borne.

The range is characterised by its approach to sustainability and an aesthetic both minimalist and timeless. Founded in a desire for lighting essentials that could bring equal parts uniformity and equal parts creativity to a project.

And crucially, one that enhances spaces and lives.



+61 3 9486 3699
howdy@andro.lighting
→ andro.lighting