

OLIO SQUARE TRIMLESS ADJUSTABLE RECESSED

CREATE | INDOOR / DOWNLIGHT

ambience
MAKING LIGHT WORK



PHYSICAL

Size	S, M
Installation Method	Adjustable Recessed
Cutout Size (mm)	70mm x 70mm, 104mm x 104mm
Accessories	Honeycomb Louvre, Without Accessory
IP Rating	IP20
Finish	Textured White, Textured Black, Custom
Rotate Angle	355°
Tilt Angle	30°
Anti-Glare Ring Finish	Textured Black, Custom
Secondary Reflector Finish	Matt, Textured White, Textured Black, Specular, Chrome, Gold, Custom



RoHS



ELECTRICAL

Wattage	9W, 13W, 15W, 21W
Forward Current	250mA, 350mA, 500mA
Voltage	240V
Dimming Control	1-10V Dimmable, DALI Dimmable, Phase-Cut Dimmable

O P T I C A L


Optic	Lens, Reflector
Distribution	Medium / Wide / Flood
CCT	2700K, 3000K, 4000K
CRI	CRI90
System Lumen	525lm - 1150lm
System Efficacy	Up to 69lm/W
Light Output Ratio	85
Lifetime (L70B50)	50,000hrs




IP20

A D D I T I O N A L

LED Module	Citizen
LED Driver	Remote
Warranty	5 Years



Olio S Square Trimless



Olio M Square Trimless