

# OLIO SQUARE ADJUSTABLE RECESSED

CREATE / DOWNLIGHT

ambience

MAKING LIGHT WORK



## PHYSICAL

Size	XS, S, M
Installation Method	Adjustable Recessed
Cutout Size (mm)	45mm x 45mm, 68mm x 68mm, 96mm x 96mm
Accessories	Honeycomb Louvre, Without Accessory
IP Rating	IP20
Finish	Textured White, Textured Black, Custom
Rotate Angle	355°
Tilt Angle	30°
Anti-Glare Ring Finish	Textured Black, Custom
Secondary Reflector Finish	Matt, Textured White, Textured Black, Specular, Chrome, Gold, Custom



RoHS

## ELECTRICAL

Wattage	6W, 9W, 13W, 15W, 21W
Forward Current	250mA, 350mA, 500mA
Voltage	240V
Dimming Control	1-10V Dimmable, DALI Dimmable, Phase-Cut Dimmable

## O P T I C A L


Optic	Lens, Reflector
Distribution	Medium / Narrow / Wide / Flood
CCT	2700K, 3000K, 4000K
CRI	CRI90
System Lumen	365lm - 1150lm
System Efficacy	Up to 69lm/W
Light Output Ratio	85
Lifetime (L70B50)	50,000hrs

## A D D I T I O N A L


LED Module	CREE, Citizen
LED Driver	Remote
Warranty	5 Years




**IP20**



**Olio XS Square**



**Olio S Square**



**Olio M Square**