


OLIO WALL WASHER FIXED RECESSED

CREATE | INDOOR / DOWNLIGHT

ambience

MAKING LIGHT WORK



PHYSICAL

| | |
|----------------------------|--------------------------------|
| Size | M |
| Installation Method | Fixed Recessed |
| Cutout Size (mm) | Ø100mm |
| Accessories | Without Accessory |
| IP Rating | IP20 |
| Finish | Textured Black, Textured White |
| Anti-Glare Ring Finish | Textured Black, Textured White |
| Secondary Reflector Finish | Matt |

ELECTRICAL

| | |
|-----------------|---|
| Wattage | 15W, 21W |
| Forward Current | 350mA, 500mA |
| Voltage | 240V |
| Dimming Control | 1-10V Dimmable, DALI Dimmable, Phase-Cut Dimmable |



RoHS




IP20

O P T I C A L

| | |
|--------------------|---------------------|
| Optic | Reflector |
| Distribution | Asymmetric |
| CCT | 2700K, 3000K, 4000K |
| CRI | CRI90 |
| System Lumen | 500lm - 675lm |
| System Efficacy | Up to 33lm/W |
| Light Output Ratio | 85 |
| Lifetime (L70B50) | 50,000hrs |

A D D I T I O N A L

| | |
|------------|---------|
| LED Module | Citizen |
| LED Driver | Remote |
| Warranty | 5 Years |



Olio M Wall Washer