


# CONCERTO SUSPENDED

CREATE | INDOOR / LINEAR

ambience

MAKING LIGHT WORK



## PHYSICAL

Size	XS, M
Installation Method	Suspended
Accessories	Suspension 1200mm, Suspension 3000mm, Rod 1200mm, Rod 3000mm, Custom
IP Rating	IP20
Finish	Textured White, Textured Black, Solid Brass, Painted Brass, Customize

## ELECTRICAL

Wattage	5W/m, 10W/m, 14.5W/m, 19.2W/m, 20W/m, 22W/m, 25W/m, 29W/m, 40W/m
Voltage	24V
Dimming Control	All types (order separately)



RoHS




**O P T I C A L**

Optic	Opal, Smoked
Distribution	Flood 120°
CCT	1600K, 1800K, 2000K, 2200K, 2400K, 2700K, 3000K, 3500K, 4000K, 6500K, Amber, Blue, Cyan, Dim to Warm 1800K-3000K, Green, RGB, RGBW+1600K, RGBW+2700K, RGBW+3000K, RGBW+3500K, RGBW+4000K, RGBW+5000K, RGBW+6500K, Red, Tunable 1800K-3000K, Tunable 2700K-6500K
CRI	CRI80, CRI90
System Lumen	30lm - 1683lm
System Efficacy	Up to 61lm/W
Lifetime (L70B50)	50,000hrs


**A D D I T I O N A L**

LED Module	Boost 8mm, Boost 10mm, Boost Colour 10mm, Boost Dim to Warm 12mm, Boost RGB 10mm, Boost RGBW 12mm, Boost Tunable WH 10mm, Boost Ultra Warm 10mm
LED Driver	Remote
Warranty	5 Years
Add-Ons	Solid Brass is only available for lengths up to 3600mm

**IP20**



**Concerto XS**



**Concerto M**